I intend to move the Hon'ble the High Court of Mysore to enrol me as an Advocate thereof.

G. N. KRISHNAPPA, B.A., LL.B.

I intend moving the High Court of Mysore for my enrolment as an Advocate thereof.

D. VENKATESIAH.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 8349-60, *dated 26th October* 1937.

To

The Firms dealing in Theodolites.

Enquiry No. 2542.

DOUBLE CENTRE THEODOLITE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purcases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Double Centre Theodolite", with the above Enquiry Number.

This enquiry will be closed on the 22nd November 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Double Centre Theodolite T.I. with (1) Traversing equipment. (2) Distance Wedge precision Telemeter, and (3) The Double Image reducing Telemeter for use with Verticle staff.	One	Bangalore.	

N.B.—Quotations required separately for each of the items mentioned above. The name of the makes should be stated in your quotation.

No. S. P. C. 8360-72, *dated 25th October* 1937.

To

The Firms dealing in Hook-Gauges.

Enquiry No. 2543.

HOOK-GAUGES FOR COLLEGE OF ENGINEERING.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Hook-Gauges", with the above enquiry Number.

This enquiry will be closed on the 22nd November 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Hook-gauges reading 0" to 24" (1–100th of an inch least count)	Two	Bangalore.	

No. S. P. C. 8667-72, dated 25th October 1937.

To

The Firms dealing in Chlorinators.

Enquiry No. 2553.

CHLORINATOR FOR MYSORE.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Mysore and the earliest time of delivery for one Chlorinator described in the attached specification.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchase being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Chlorinator for Mysore", with the above enquiry Number.

This enquiry will be closed on the 25th November 1937.

Specification of Chlorinator.

Maximum capacity 10 lbs. of chlorine per 24 hours.

Minimum capacity 2 lbs. of chlorine per 24 hours.

The instrument.—The instrument to consist of one filter, necessary pressure reducing valves manometer calibrated in lbs. per 24 hours, regulating valve with indicator, moisture-proof outlet valve, and a pressure gauge reading up to 200 lbs. per Sq. inch. All to be mounted on an enamelled steel panel and the connecting pipes, etc., to be chromium plated.

Instrument supports.—The instrument should be supported by an enamelled steel stand provided with floor fixing screws.

Cylinder connections.—To suit standard English cylinders. One cylinder connecting valve and coil pipe to be provided.

Solutionizer.—Should be cream enamelled, and of glazed and acid-resisting stoneware, complete with gas inlet connection, vulcanited gas inlet tube, solution inlet connection and suitable graded pakcing material.

Solution Delivery.—10 ft. of 1" bore chlorine-resisting India-rubber-lined hose with two hose-clips to be provided.

Piping.—10 ft. of ¼" bore piping to connect the instrument to the solutionizer, each with unions. The unions of the compression type, requiring no brazing, screwing or special tools for fixing.

Accessories.—The accessories to include a cylinder key, set of spanners and set of spare manometer glasses and gland rings and one bottle of ammonia.

Testing Apparatus.—One Ortho-Tolidine Testing set consisting of Ortho-Tolidine Solution, Residual Chlorine Comparator Latest Type and coloured Standard Disc.

General.—All valves to be of glandless, diaphragm type and fitted with renewable silver valve and needles, the latter being self aligning. Parts in contact with chlorine to be of suitable alloy to resist corrosion and adequate provision made to prevent ingress of atmospheric moisture. Pressure gauge fitted with silver protecting diaphragms to isolate the working parts from the gas.

No. S. P. C. 8659-66, dated 27th October 1937.

To

The Firms dealing Pressure Filters.

Enquiry No. 2554.

PRESSURE FILTERS OF HIRIYUR WATER WORKS.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Chitaldrug, and the earliest time of delivery for the materials described in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotations after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pressure Filters for Hiriyur Water Works", with the above enquiry Number.

This enquiry will be closed on the 30th November 1937.

Specification for a Pressure Filter required for Hiriyur Water Works, (Chitaldrug District).

One 72" and alternatively one 78" pressure filter capable of filtering 3,000 gallons of water per hour in the former case and 3,500 gallons per hour in the latter, against a working pressure of 100 lbs. per Sq. inch.

Shell.—The shall should be made up of a best British manufactured plate, the end plates being flanged and dished in one piece each hydraulically, double rivetted to stand a working pressure of 100 lbs. per Sq. inch and a test pressure of 150 lbs. per Sq. inch. It should be provided with manhole and cover, hand hole and cover at the level of the strainer for easy removal of sand and gravel, hole and brass plug in top cover to permit gauging the sand bed level ; should rest on four C. I. stools, and should be painted with approved Anti-corrosive paint inside, and White lead enamel paint of two coats outside.

Internal Piping.—This should be of heavy gauge noncorrodible pipe with tees and elbows. They should be packed separately in order to facilitate handling of the shell and should be supported on a rubble bed over a cement plastered floor provided by us.

Strainers.—These should be brass strainers of approved type screwed into the top side of the lateral pipes, and should be so arranged to ensure a smooth uniform downflow of water.

External Piping.—This should be of heavy, close grained flanged C. I. to British Specification, Class B, carefully boxed complete with necessary I. R. insertion joints, bolts, nuts and washers. Two tee pieces with S. and S. connections for connecting the filters should be furnished.

Coagulant Feed.—This should be of approved feed type.

Sight Glass.—This should be of a removable glass cup in which the incoming crude water and the clear filtrate water could be examined, and in which the waste water is automatically visible to the Operator to enable him to determine when washing is complete.

Valves.—The valve should be of G. and K's manufactured to special requirements and laying lengths, the valves must have name plates clearly engraved with the name of the valve and directions of opening the plate should be chromium plated.

Relief Valve.—It should be ball air relief valve of G. and K. mounted on top of each filter in a suitable C. I. cap with connection to drain.

Wash Indicator.—The filters should be fitted up with effluent wash indicator, comprising of duplex pressure gauge, connected to the influent and outlet pipes, and so arranged that when the loss of head reaches a pre-determined amount, the fact that the filter requires washing is shown in a manner obvious to the most uneducated labour. The gauge must be chromium plated case with instruction plate and it should be handsome. It should be equipped with a new feature in the form of a chromium plated three way cock on each connection, one way placing the gauge in connection with the pressure to be read, one way bring the gauge to zero, and one way connecting the pressure water to a small chromium plated faucet from which samples for testing may be drawn. The equipment should be complete with chromium plated copper pressure connecting pipes.

Operation.—Must be of "Sectional wash" high velocity wash type.

Loss of Head.—When the filter is newly washed the loss of head should not exceed two to three feet. The wash indicator should be set to show a loss of 10 to 15 feet.

Finish.—The equipment must have the following fine finish:—

The shell	White-lead.
External pipe	Black.
Valve bodies	Red.
Valve wheel plates	Chromium plated.
Name plate, coagulant feed pipes, wash indicator and fittings	Chromium plated.

Delivery.—The Quotation should be F.O.R., Chitaldrug.

No. S. P. C. 8629-58, *dated 27th October* 1937.

To

The Firms dealing in Pumping Sets.

Enquiry No. 2555.

OIL ENGINE PUMPING SET REQUIRED FOR HIRIYUR WATER WORKS.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f. o. r., Chitaldrug and the earliest time of delivery for the materials described below :—

Pump.—One Centrifugal Pump provided with fast and loose pulleys on the pump shaft with belt shifting arrangement. The pump should be mounted on a C. I. base plate and provided with bolt holes for fixing on a suitable foundation.

The pump should be capable of discharging 60 *gallons per minute against a total head of* 60 *feet.*

The casing of the pump should be of closed grained C. I. and should be preferably of horizontally split one to facilitate easy inspection. The impellers, glands, bushes, etc., should be of phosphor bronze. The shaft should be of stainless steel and should be provided with thrust bearings to remove end thrust, if any, and should be mounted on ball or roller bearings.

The pump should be supplied with :—

(1) air release cocks,
(2) pressure and vaccum gauges,
(3) C. I. foot valve with strainer,
(4) G & K's delivery sluice valve and
(5) one non-return valve.

Oil Engine.—A suitable oil engine running on Crude or Diesel oil with sufficient power to drive the above pump.

The engine should be supplied with all the accessories such as fuel tank, pipe connections, cooling tank, etc. It should also be supplied with about 30 feet length of belting.

The quotations for Engine and Pump should be F. O. R., Chitaldrug.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 percent of the value

of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Oil Engine Pumping Set" with the above enquiry Number.

This enquiry will be closed on the 25th November 1937.

No. S. P. C. 9064-82, dated 28th October 1937.

To

The Firms dealing in Electrical Materials.

Enquiry No. 2558.

ELECTRICAL EQUIPMENT REQUIRED FOR COLLEGE OF ENGINEERING.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f. o. r.; Bangalore and the earliest time of delivery for the materials described below :—

Measuring Instruments and Tubular Rheostats.

1. Moving iron or Dynamometer, Portable type :—
   (*a*) Ammeter 0–1.5, Double ring 0–3 amps .. .. One.
   (*b*) Tong test A meter Crompton type A. 50,100 & 200 Amps-1 in each .. One set.
2. Portable Galvanometer, Permanent magnet moving coil type of about 0.5 micro-amperes per division and resistence of moving coil about 50 Ohms. .. One.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Electrical Equipment required for the College of Engineering" with the above enquiry Number.

This enquiry will be closed on the 30th of November 1937.

No. S. P. C. 9954-63, dated 1st November 1937.

To

The Contractors dealing in Mysore Flags.

Enquiry No. 2564—Mysore Flags.

GENTLEMEN,

Please be good enough to intimate your best price for free delivery at the offices in Bangalore and the earliest time of delivery for the materials described below :—

(1) Mysore Flag, size 9 ft. × 6½ ft. of the approved pattern with a red woollen border.
(2) Mysore Flag, size 4½ ft. × 3 ft. 1½ inches of the approved pattern, usually supplied to the Educational Institutions with a red woollen border.

N.B.—The "Mysore Insignia" should be correctly and neatly printed on a yellow ground and the Sanskrit letters should be legibly and correctly inscribed.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

(1) The Stores Purchase Committee do not guarantee the purchase of any definite number of flags.
(2) The contract will be in force for one year from the date of order during the whole of which period the prices accepted herein should hold good.

(3) All indents should be complied with within a fortnight from the date of their receipt.

(4) No application for enhancement of the rates during the period of the contract due to any reason whatsoever will be considered.

(5) Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotation should be superscribed "Quotations for Mysore Flags".

This enquiry will be closed on 18th November 1937.

No. S. P. C. 10220-31, *dated 8th November* 1937.

To

The Firms dealing in Electrical Wires.

Enquiry No. 2567.

FOREIGN MAINTENANCE MATERIALS FOR 1937-38.

ALLOYED FUSE WIRE.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below:—

		Quantity	Price	
			C. I. F. Madras	F. O. R. Bangalore
1.	Fuse wire of alloyed lead, capacity, 1 ampere	9 lbs.		
2.	Do do 2 amperes	8 ,,		
3.	Do do 3 ,, ...	84 ,,		
4.	Do do 5 ,, ...	77 ,,		
5.	Do do 10 ,, ...	94 ,,		
6.	Do do 15 ,, ...	45 ,,		
7.	Do do 20 ,, ...	27 ,,		
8.	Do do 30 ,, ...	25 ,,		
9.	Fuse wire of tinned copper capacity 20 amperes	5 ,,		
10.	Do do 30 ,, ...	15 ,,		
11.	Do do 25 ,, ...	10 ,,		

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages.

The quotations should be superscribed "Quotations for Alloyed Fuse Wire", with the above enquiry number.

This enquiry will be closed on the 5th December 1937.

No. S. P. C. 10185-219, *dated 8th November* 1937.

The Firms dealing in Switches.

Enquiry No. 2568.

FOREIGN MAINTENANCE MATERIALS FOR 1937-38—SWITCHES, ETC.

GENTLEMEN,

I write to request you to be so good as to intimate your best prices and the earliest time of

delivery for the materials noted below :—

Sl. No.	Particulars	No. required	C.I.F., Madras	
			Rate per unit	Price per lot
1	Surface Tumbler Switch, single pole, 101-200 amps., 250-volts, slate base	250		
2	Surface Tumbler Switch, double pole closed base, size 10 amps., 250-volts	62		
3	Knife Switch on the slate base with fuse arrangement, D.P.S.T. : size 15 amps. 250-volts	30		
4	Do 30 do	20		
5	Do 60 do	48		
6	Do 100 do	33		
7	Do 200 do	6		
8	Knife Switch on slate base with fuse arrangement, D.P.D.T., size 30 amps, 250-volts	7		
9	Knife Switch on slate base with fuse arrangement, T.P.S.T. size 30 amps., 250-volts	30		
10	Do 60 do	40		
11	Do 100 do	14		
12	Knife Switch on slate base without fusing arrangement D.P.S.T. size 30 amps., 250-volts	100		
13	Iron Clad Knife Switch with fuse arrangement and quick-make-and-break action D.P.S.T. size 15 amps., 600- volts	31		
14	Iron Clad Knife Switch with fuse arrangement and quick-make-and-break action D.P.S.T., size 30 amps. 600-volts	36		
15	Do 100 do	18		
16	Do 200 do	2		
17	Iron Clad Knife Switch with fuse arrangement and quick-make-and-break action T.P.S.T. size 30 amps., 600-volts	20		
18	Do 60 do	26		
19	Do 100 do	8		
20	Time switches, double pole, size 10 amps., 220-volts, 25 cycles, clock work movement	62		
21	Time switches, New bridge type size 50 amps. A.C. 250-volts, D.P. clock work movement housed in cast iron metal water proof cases, frequency 25 cycles	4		
22	Do frequenty 60 cycles	10		
23	Do 10 amps, 60 cycles, A.C. ..	10		
24	Bakelite switches, surface pattern, single pole quick-make-and-break action, 250-volts, size 5 amps. ..	306		
25	Do Do 10	106		
26	Combination Switch and plug with quick-make-and-break action for 250-volts with bakelite cover size 5 amps.	156		
27	Do Do 10 amps ..	56		
28	Ceiling Roses—Porcelain—3-way, size 5 amps., 250-volts	146		
29	Cable terminals, copper, with rounded corners and one stud hole and to fit B. & S. guage wire No. 10	250		
30	Do No. 6	250		
31	Lamp Socket, keyless, Bayonet Cap, for 250-volts, bakelite	50		
32	Lamp socket, with push key, Bayonet Cap, 250-volts. .	150		

Illustrated pamphlets and sketches showing the switches and other materials offered by should accompany your quotation. The names of the manufacturers of the materials offered sh be clearly specified.

The prices to be quoted should be for delivery *c.i.f., Madras* both per unit as well as for the lot.

Your quotatin should reach this office on or before the 30th of December 1937.

No. S. P. C. 10172-84, *dated 8th November* 1937.

To

The Firms dealing in Scientific Instruments.

Enquiry No. 2569.

SCIENTIFIC INSTRUMENTS.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Bangalore and the earliest time of delivery for the materials described below :—

	Catalogue code word.
1. Leitz Petrological Microscope, Stand CM with complete equipment (*vide* catalogue, No. 52 Pol. en., Ernst Leitz, Wetzlar, page 25)	Gemyk.
2. Universal Rotating Stage Ut. 5, (after R.C. Emmons) No. 2083, (*vide* above catalogue page 55)	Icgli.
3. One Extra Pair of Segments n D 1·649 No. 2085	Fegno.
4. Stereographic net ruling with revolving device after M. Reinhard for the tracing paper No. 2087 (*vide* page 56, of above catalogue)	Icrfi.

N.B.—(1) The prices to be quoted for materials of German manufacture should be in Reichmarks, for payment out of the Mysore Government Aski account at the Reich-kredit Gesselschaft, Berlin.

(2) Though materials of particular catalogue are specified materials of other makes of equal quality may also be quoted for.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Scientific Instruments", with the above enquiry number.

This enquiry will be closed on the 20th of November 1937.

No. S. P. C. 10162-71, *dated 8th November* 1937.

To

The Firms dealing in Photo Accessories.

Enquiry No. 2570.

CAMERA AND PHOTO MATERIALS.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Bangalore and the earliest time of delivery for the materials described below :—

	Catalogue code word.
5. (*a*) Photo-micrographic Camera, small vertical type, C. Baker 244, High Holborn, London (*vide* Baker's Catalogue, page 98, Fig. 160)	Verticam.
(*b*) Extra double dark slides, ¼ plate for above.	Vertislide.
(*c*) Achromatic focussing glass with adjustment	Foglass.
6. One set of 60 Ref. Indices Liquids, ranging from 1·434 to 1·734 with a difference of 0·005 each. Ward's Natural Science Establishment, Inc., 302 Goodman St. North Rochester, New York.	

N.B.—(1) The prices to be quoted for materials of German manufacture should be in Reichmarks for payment out of the Mysore Government Aski account at the Reichkredit Gesselschaft, Berlin.

(2) Though materials of a particular catalogue are specified materials of other makes of equal quality may also be quoted for.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Camera and Photo materials and sent to the undersigned" with the above enquiry Number.

This enquiry will be closed on the 20th of November 1937.

No. S. P. C. 10142-51, *dated 8th November* 1937.

To

The Firms dealing in Sanitaryware.

Enquiry No. 2572.

SANITARY MATERIALS REQUIRED FOR THE NEW RAILWAY OFFICES AT MYSORE.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Mysore and the earliest time of delivery for the materials described below :—

1.	Water closet—White porcelain European Closet with double thickness polished mahagony hinged seat, three gallon Low Down cistern in white porcelain of shanks made with connecting pipes, etc., complete	No.	10
2.	White porcelain pedastal lavatory comprising shanks 27″×19″ basin with ½″ hot and cold smooth tap, taps waste fixture to basin brass complete	„	10
3.	White porcelain wall lavatory 25″×18″ complete set with C. I. brackets and single tap, complete sized over all	„	3
4.	Doultons Indian 'Baroda' Type wash down closet (or any other make not more than 11″ in height including pan and trop sets, white glazed inside and cane colour outside complete with C. I. three gallon flushing tank and flush pipe and one pair of marble foot rests complete	„	4
5.	Do do Hindustani closet set	„	2
6.	Mirror, English levelled edges in white enamelled frame 24″×18″	„	13
7.	N. P. Towel rail 1″ diameter 24″ long with U. P. screws	„	10
8.	Jay's porcelain toilet box with paper complete	„	10

N.B.—The makes or materials quoted for should be clearly specified.

The quotations should be accompanied by illustrated leaflets of the materials offered.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Sanitary materials required for the New Railway Offices at Mysore", with the above enquiry Number.

This enquiry will be closed on the 20th of November 1937.

No. S. P. C. 10443-58, *dated 8th November* 1937.

To

The Firms dealing in Copper Tubings.

Enquiry No. 2576.

SEAMLESS COPPER TUBING—FOREIGN MAINTENANCE MATERIALS FOR 1937-38.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery c.i.f., Madras, and the earl time of delivery for the materials described below :—

1. 300 ft.—Copper tubing, seamless, size ⅜″ external and ⅛″ internal dia.
2. 120 ft.— Do 15—16″ external and ¼″ internal dia.
3. 200 ft.— Do 1″ „ ¾″ do

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages.

The quotations should be superscribed "Quotations for Seamless Copper tubing" with the above enquiry Number.

This enquiry will be closed on the 10th December 1937.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

No. S. P. C. 10530-50, *dated 8th November* 1937.

NOTICE.

Enquiry No. 2557.

PIPES AND OTHER HARDWARE ARTICLES.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of Pipes, Hardware and other Materials required for the Mysore Government Departments (except the Electrical), during the Calendar year 1938, up to 5 P.M. on 6th December 1937.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 5 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V. P. P.

By Order,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

OFFICE OF THE DISTRICT LOCK-UP OFFICER, CHIKMAGALUR.

Abstract Notification dated 9th November 1937.

Attention of the public is invited that sealed tenders for the supply of diet and other articles required for the District Lock-up, Chikmagalur, for the year 1938, will be received by the District Lock-up Officer, at his office at 9 A.M., on 3rd December 1937.

For further particulars please refer to Part VI, pages 1826-1827 of the *Mysore Gazette*, dated 4th November 1937.

V. SRINIVASA MUDALIAR,
Officer-in-charge,

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries during the week ending Saturday the 2nd October 1937.

Indent & Enquiry No.	Description of material	Quantity	Name of Firm	Value of order
Local.			Messrs.—	Rs. a. p.
4089	Collars, mild steel, 26–$\frac{1}{8}$″ bore × $\frac{3}{4}$″ thick × 1 ft. long having machined key at each end.	12	Mr. T. S. Narayana Rao, Bangalore.	71 0 0 each, f.o.r., Madras
4077	Manifolds, C.I. 5′ 5–$\frac{7}{8}$″ long marked "Header A" complete with $\frac{1}{8}$″ thick Brass Baffle plate fitted with Phos. Bronze Studs and nuts.	2	Jewel Export Filter Co., Calcutta.	579 8 0 lot, f.o.r., Bangalore.
Extn.	Manifolds, C.I. 5′2–15/16″ long marked "Header B".	2		
	Manifolds C.I. 23—$\frac{7}{8}$″ long marked "Header C".	1		
	1 Spigoted pipe C.I. flanged 6″ bore × 5′0–$\frac{1}{2}$″ long.			
	1 Socketed Tee C.I. flanged 6″ × 4″ × 4″.	One set	Do ..	172 10 6 lot, do
	1 Spigoted pipe C.I. flanged 4″ bore × 10′5–$\frac{1}{2}$″ long.			
	1 Flanged bend C.I. special 4″ bore 90°.			
	Pipes C.I. Distributing 2″ bore × 9′6″.	100 pieces	Do ..	1,107 14 0 lot, do
4091	Lathe Heavy duty, High speed self acting, sliding, surfacing and screw cutting, 10$\frac{1}{2}$″ centre × 12 ft. to admit 7 ft. between centres swing 40″ × 14″ in the gap.	One.		
2277	Induction motor squirrel cage, Frame size A12c4, Lancashire crypto screw protected developing 7 B.H.P. at 700 R.P.M.	One.	Jessop & Co., Ltd., Calcutta.	7,212 0 0 nett. f.o.r., Belagola.
	Starter, Star Delta, hand operated type "Sal" totally enclosed iron-clad air break.	One.		
	Four jaw independent chuck 20″ dia. "Crown" fitted to lathe spindle suitable for the above lathe.	One.	Do ..	225 0 0 f.o.r., Belagola.
	High speed turning Tools 1$\frac{1}{4}$″ × 1$\frac{1}{4}$″ × 10″.	Per set of twelve.	Duncan Stratton & Co., Bombay.	95 0 0 f.o.r., Belagola.
	Plummer blocks, self-oiling, enclosed type 6″ long bearing with two oiling rings with gun metal brasers.	12 pieces	Batliboi & Co., Bombay ..	240 0 0 do
	Lathe multi-speed, Height of centres 6$\frac{1}{2}$″ length of bed 6 ft. taking between, centres 3′4″. Hole in spindle 1–$\frac{3}{8}$″ dia. and length of front bearing 2·3/16″ × 3·$\frac{1}{8}$″.	One.	W. H. Brady & Co., Ltd., Madras.	2,865 0 0 do
	Drilling machine Vertical "Rex" size 28″ self-contained motor driven, heavy duty high speed, motor starter for operation on a 220 volts, 3 phase, 25 cycles A.C.	One.	A. C. Bottomley & Co., Bombay.	2,699 0 0 do
	Pump, circulating for suds with tank fittings and special channelled table.	One.	Do ..	121 0 0 do
	Shank drills from $\frac{3}{8}$″ to 2″ of 18 per cent Tungsten, High speed steel morse taper.	One complete set.	Do ..	262 0 0 do
	Electric Drill, size No. 3B. Little Giant 220 volts, 25 cycles complete with No. 3. M.T. socket flexible cable, etc.	One.	Consolidated Pneumatic Tool Co., Ltd., Madras.	410 0 0 each, f.o.r., Belagola.
	Twist Drills from 15/16″ to 1$\frac{1}{4}$″ consisting of one each of sizes 15/16″, 31/32″, 1″, 1/16″, $\frac{1}{8}$″, 3/16″, and $\frac{1}{4}$″.	One set	Do ..	45 0 0 per set, f.o.r., Belagola.
4092	Steel Rails—Second-hand 24 ft. long 41$\frac{1}{4}$ lbs. section.	700	Imperial Railway Material Corporation, Madras.	18 6 0 each, f.o.r., Bangalore
2446	Do do ..	200	Do ..	18 6 0 each, f.o.r., Mys
	Steel Rails—Second-hand flat footed 50 lbs. section per yd. 30 ft. long.	800	Parrys Engineering, Co., Ltd., Calcutta.	29 12 0 each, f.o.r., B
	Do do ..	500	Do ..	31 4 0 do
	Do do ..	200	Do ..	31 0 0 do Bir
	Do do ..	940	Do ..	31 8 0 do Davangere
4093	Screw Jacks, Simplex Traversing base capacity 35 tons, Overall height 24″ lift, 11$\frac{1}{2}$″ horizontal travel 12″.	Two.	Parry & Co., Ltd., Madras ..	207 9 0 each, for., Madras.
2373				

Indent & Enquiry No.	Description of material	Quantity	Name of Firm	Value of order
Local.			Messrs.—	Rs. a. p.
4094	Pumping set, Electric, capable of delivering 100 gallons per minute speed of the motor 1,450 r.p.m.	One.	Associated Engineering Services, Bangalore City.	1,307 0 0 f.o.r., Mysore.
2342	Motor, Squirrel cage, B.T.H. Drip Proof.	One.	Do ..	809 14 0 do
	Starter do transformer	One.	Do ..	633 9 0 do
	Accessories for the pump		Do ..	187 14 0 do
4096	Coal, Best "Deshargarh" containing not more than 2 per cent dust.	150 to 300 tons.	T. Boal & Bros., Bangalore City.	28 12 0 per ton weighed and delivered at Factory Premises.
4099				
2320	Tyres, heavy duty 30×5 for Lorries	Two	Michelin Tyre, India, Ltd., Madras.	65 3 0 each, f.o.r., Bangalore
2494				
4100	Muftipagadies ..	75	H. Wali Mahamad & Co., Ludhiana.	2 12 0 each, f.o.r., Bangalore City.
4101	Hot plates, open coil, heavy duty 2,000 watts and 30 volts with 30 amps. indicating switches.	2	International-General Electric Co., Ltd., Bangalore City.	65 0 0 each, f.o.r., Mysore.
	Do twin unit with connector leg.	6	Do ..	133 0 0 do
	Spare open coil units 2,000 watts, 230 volts.	18	Do ..	19 0 0 do
	Oven—model "O" Electric, automatic portable with thermostat for oven control use on 230 volts A.C.	1	Do ..	78 0 0 do
4102	Copper wire 6 B & S hard drawn, high conductivity conforming to B.E.S.A. specifications.	800 lbs.	Callenders Cable Construction Co., Madras.	0 9 2 per lb., f.o.r., Kadakola.
2478				
4103	Pantostat, Siemens, for galvanization Electrolysis, etc., complete with accessories.	One.	Siemens (India), Ltd., Madras	490 0 0 f.o.r., Kolar.
2473				
Foreign.				
2303	Lathe, double Railway wheel to take a pair of wheels on their axles from 18" to 30" dia. and admit axles between the centres 6 ft. long either 2 or ft. 2'6" meter wheel gauge.	One.	Alfred Herbert (India), Ltd., Calcutta.	11,740 0 f.o.r., Mysore South.
2185	Lathe, Double Railway wheel to take a pair of wheels on their axles from 2 ft. up to 5 ft. dia. and admit axles between the centres up to 9 ft. long together with the extras required for the above lathe.	One.	Do ..	34,650 0 0 lot, do
	Boring and Turning Mill 'Webster and Barnett' 36" Rapid production with turret and side heads, arranged for single pulley belt drive through clutch and gear box, together with extras.	One.	Do ..	20,630 0 0 lot, do
	Traverse Head Shaping Machine 18-20" with one cable and one head on bed 6'-6" long, giving traverse of head 4'-4".	Two.	Marshall Sons & Co., (India), Ltd., Madras.	7,700 0 0 nett each, do
	Lathe 15" centre self-acting, sliding, surfacing and screw cutting, back feed, shaft gap bed, with bed 15' 0" long to admit 8' 9" between centres.	Two.	Turner Hoare & Co., Ltd., Bombay.	9,103 0 0 each, do
	Extras—for pump tray and fittings	Lot.	Do ..	1,898 0 0 lot, do
	Do for 30" 4—Jaw independent chuck and backplate.			
	Do for 16" 4—Jaw chuck and back plate.			
	Grinders Dry Single head, 15"×2" Motor driven complete.	Two.	Kaycee & Co., Ltd., Bombay	£116-0-0 f.o.r., Mysore South.
	Grinders Dry Double head 15"×2" Motor driven complete.	Two.		
	Lathes Precision production, Volman, single pulley. High speed with 18 spindle speeds and quick reversing. Height of centres 10½", taking between centres 4'-11", length of bed 9'-7".	Two.	W. H. Brady & Co., Ltd., Madras.	Rs. a. p. 6,715 0 0 each, do
	Pins G.I. 5 $\frac{5}{8}$" × $\frac{1}{2}$" complete with nut and washer.	37,500	K. Sakai & Co., Ltd., Japan	10 4 9 per 100 pieces, c.i.f Madras, 10 per cent discount.
	Pins G.I. 6½" × ½" complete with nut and washer.	15,000	Do ..	11 0 0 do do
	Pins G.I. 5½" × $\frac{5}{8}$" complete with nut and one rubber washer and	5,000	Do ..	16 1 10 do do

Indent & Enquiry No.	Description of material	Quantity	Name of Firm	Value of order
Foreign. 2305	Wrenches Twisting joint Cat. No. E. 28.	10 pairs	Messrs.— Aluminium Union, Ltd., Bombay.	£ 2–5–6 per pair, c.i.f., Madras.
2435	Wrenches Twisting joint Cat. No. E. 44.	4 ,,	Do	£ 2–5–6 do do
2308	Lamps 220 volts, 1,000 watt. British made gas filled having 8 $\frac{1}{2}$" filament centre.	26 dozs.	General Electric Co., Ltd., Madras.	Rs. 78 12 0 per doz. nett. f.o.r., Mysore South.

Statement of orders placed by Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries during the week ending Saturday the 9th October 1937.

Local. 4105	Miscroscope Zeiss 120×120 mm. ..	One.	Messrs.— T. Ramachandra Rao, Bangalore City.	Rs. a. p. 428 4 0 free delivery at the Mental Hospital.
2420 4106	Sulphate of Alumina ..	150 tons	Havero Trading Co., Ltd., Madras.	96 8 0 per ton, f.o.r., Bangalore City.
2356		20 ,,	Do	99 0 0 do Tumkur.
		28 owts.	Do	102 8 0 do Nanjangud.
		10 tons	Do	108 0 0 do Davangere.
4001	Blotting paper pink 22½"×17½"—30 lbs.	125 reams	Wilson & Co., Ltd., Madras.	0 4 6 per lb. free delivery at Stationery Depot, Bangalore.
Extn.	Paper cartridge Brown super Royal 20"×22½"—30 lbs.	750 ,,	Do	0 2 6 do do
	Paper, printing, double demy 36 lbs. 36"×22½".	1,500 reams	South Indian Export Co., Ltd. Madras.	0 3 9 per lb. do
	Do double foolscap 20 lbs. 27"×17".	1,000 ,,		
	Do Crown 28 lbs. 30"×20"	200 ,,		
	Paper white Printing Double Foolscap 14 lbs. 27"×17" rough.	500 ,,	McDowell & Co., Ltd., Madras.	0 3 0 do do
	Paper Typewriting, thick 5 lbs. 13"×8".	1,000 ,,	South Indian Export Co., Ltd., Madras.	0 4 6 do do
	Do thin 2½ lbs. 13"×8".	1,000 ,,	Do	0 5 6 do do
	Paper Badamy, Double Demy 28 lbs. 22½"×35".	1,000 reams	Deccan Paper Mills, Co., Ltd., Poona.	4 7 2 per ream, f.o.r., Bangalore.
	Paper Badamy Demy 14 lbs. 22½"×17½".	2,000 ,,	Do	2 3 7 do do
	Paper Badamy, Royal 16 lbs. 25"×20".	250 ,,	Do	2 10 8 do do
	Paper Badamy, Double Foolscap 16 lbs. 17"×27".	1,500 ,,	Do	2 8 8 do do
	Paper Badamy, Double Foolscap 37 lbs. 17"×27".	25 ,,	Do	5 14 1 do do
	Paper Badamy, Cartridge 60 lbs. 22"×28".	50 ,,	Do	9 8 5 do do
4107	Canvas white, 36" wide quality No. 7	400 yds.	Yacoob Sheriff & Co., Bangalore.	0 9 6 per yard, f.o.r., Bangalore.
2508 4109	Cooling plant for the Electric Factory consisting of carrier compressor type 7 F4, Evaporative condenser, type 9P3, carrier cold diffuser type 15K5 Teddington Thermostat. Solenoid valve for 25 cycles. Thermostatic expansion valve. Liquid sight glass.	One.	Volkart Brothers, Madras ..	2,325 0 0 lot, f.o.r., Madras.
4111	Impression paper, Gestetner's, Rotary in reams of 500 sheets	250 reams	D. Gestetner (India), Ltd., Bombay.	No. 3. 2–15–0 Rm. less 22½% No. 4. 2–6–0 Rm. f.o.r., Bangalore.
2476				No. 5. 1–10–0 Rm. less 12½% f.o.r., Bangalore.
	Ink, Blue or Purple, Cyclostyle Gestetner's medium size.	500 tubes	Do	1 0 0 per tube f.o.r., Bangalore.
	Paper, Gestetner's Stencil Typewriting Foolscap.	15 reams	Do	29 12 0 per ream, do
Foreign. 2309	Wire Steel, Extra galvanized, high tensile strength seven stranded 9/32" diameter.	110 miles	The United States Steel Products, Co., U.S.A.	£11–16–3 per mile, c.i.f., Madras
2310	Strain clamps O.B. Hilite Cat. No. 80,443.	400	Kilburn & Co., Calcutta ..	Rs. 7–7–0 each c.i.f., Madras.
2439	Strain clamps O.B. Universal Cat. No. 78,500.	100	Do	Rs. 2 10 0 do
	Clips Crosby ½" Cat. No. E. 1355	1,500	International General Electric Co., Bangalore City.	$ 254.00 lot, f.a.s.,
	Clips Crosby ¼" Cat. No. E. 1351 ..	1,500	Do	$ 198.00 do
2312	Control Cable, six conductors, each conductor of size 19/22 B. & S.	3,000 ft.	A.C.E.C., India, Ltd., Bombay.	£ 86–0–0 lot, c.i.f., M